







Part Numbers	Type (s)	Connector Types (28-22 AWG/.08-.34mm ²)	Crimp Sizes	Connector Manufacturers or Remarks
Unshielded Twisted Pair (UTP) Modular Plug Crimpers				
 Tool & Die: 8030 Tool & Die: 1307 Die Set: 2061	RJ45 - 8P8C (8 Pin)	Flat/Round, Solid/Stranded	RJ45 Unkeyed WE and SS	Western Electric (WE)/Stewart Connector (SS)
 Tool & Die: 8031 Tool & Die: 1340 Die Set: 2062	RJ11 & RJ12 - 6P6C, 6P4C, 6P2C	Flat/Round, Solid/Stranded	RJ11 & RJ12 Unkeyed WE and SS	Western Electric (WE)/Stewart Connector (SS)
 Tool & Die: 8032 Tool & Die: 1341 Die Set: 2063	RJ22 Handset - 4P4C (4 Pin)	Flat/Round, Solid/Stranded	4 Pin Handset WE and SS	Western Electric (WE)/Stewart Connector (SS)
 Tool & Die: 8033 Tool & Die: 1342 Die Set: 2064	RJ45 - 8P8C (8 Pin)	Flat/Round, Solid/Stranded	RJ45 Unkeyed AMP	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 8034 Tool & Die: 1343 Die Set: 2065	RJ11 & RJ12 - 6P6C, 6P4C, 6P2C	Flat/Round, Solid/Stranded	RJ11 & RJ12 Unkeyed AMP	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 8035 Tool & Die: 1344 Die Set: 2067	RJ11 DEC-MMJ OFFSET-6P6C	Flat/Round, Solid/Stranded	RJ11 DEC/MMJ OFFSET	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 8036 Tool & Die: 1345 Die Set: 2068	RJ50 - 10P10C (10 Pin)	Flat/Round, Solid/Stranded	RJ50 Unkeyed WE and SS	Virginia Plastics (VP)
 Tool & Die: 8038 Tool & Die: 1361 Die Set: 2032	British Telecom 6 Pole Plug	Flat/Round, Solid/Stranded	BT 6 Pole	British Telecom Plugs Only


Shielded Twisted Pair (STP & SCTP) Modular Plug Crimpers



 Tool & Die: 8040 Tool & Die: 1370 Die Set: 2670	RJ45, Stewart Connector, Short Body	Round, Shielded (STP)	RJ45 STP Stewart Connector, Short Body	Stewart Connector
 Tool & Die: 8041 Tool & Die: 1371 Die Set: 2671	RJ45, Hirose Connectors, Long Body	Round, Shielded (STP)	RJ45 STP Hirose Connector, Long Body	Hirose
 Tool & Die: 8042 Tool & Die: 1372 Die Set: 2672	RJ45, Hirose Connectors, Short Body	Round, Shielded (STP)	RJ45 STP Hirose Connectors, Short Body	Hirose


	Tool & Die: 8043 Tool & Die: 1373 Die Set: 2673	RJ45, Molex Connectors, for 5.0 dia. Cable	5.0mm Dia. Round, Shielded (STP)	RJ45 STP Molex Connectors, 5.0mm dia. cable	Molex
	Tool & Die: 8044 Tool & Die: 1374 Die Set: 2674	RJ45, AMP/Molex Connectors, for 6.0 dia. Cable	6.0mm Dia. Round, Shielded (STP)	RJ45 STP AMP & Molex, 6.0mm dia. cable	AMP (Tyco) Inc. & Molex

Specialty Crimpers



	Tool & Die: 8045 Tool & Die: 1387 Die Set: 2687	RJ45 WE/SS & RG6/RG6 Quad CATV "F"	UTP 4-Pair & RG6/RG6 Quad	RJ45 WE/SS 8-pin & .360" (9.1mm) HEX/ .324" (8.2mm) HEX	For standard RJ45 WE/SS Modular Plugs & 1-piece RG6/RG6 Quad CATV "F" conns.
---	--	---------------------------------------	---------------------------	--	---

Fiber Optic Crimpers



	Tool & Die: 8017 Tool & Die: 1362 Die Set: 2652	Fiber Optic SMA, SMB, SFR, ST, SC Type	Fiber Optic	0.128" (3.2mm)/0.151" (3.83mm)/0.215" (5.46mm)/ 0.197" (5.0mm)/0.178" (4.5mm) HEX	Universal for Ferrules and Sleeves, SC, FC, SMA
	Tool & Die: 8018 Tool & Die: 1330 Die Set: 2043	Fiber Optic SMA & FC Type	Fiber Optic	0.213" (5.41mm)/0.178" (4.5mm)/ 0.151" (3.83mm) HEX	Crimps Ferrules and Sleeves Only, SMA, FC
	Tool & Die: 8019 Tool & Die: 1331 Die Set: 2030	Fiber Optic SRF and SMF Type	Fiber Optic	0.190" (4.83mm)/0.160" (4.06mm)/ 0.132" (3.35mm) RND	AMP - Crimps Ferrules and Sleeves
	Tool & Die: 8020 Tool & Die: 1364 Die Set: 2654	Lucent Technologies ST II Type	Fiber Optic	0.190" (4.83mm) HEX/0.105" (2.67mm) RND/ 0.090" (2.3mm) RND	Lucent ST - Crimps Ferrules and Sleeves
	Tool & Die: 8037 Tool & Die: 1369 Die Set: 2669	Fiber Optic 3M SC/FC-3	Fiber Optic	0.120" (3.05mm) RND/0.137" (3.48mm) RND/ 0.190" (4.83mm) RND	3M SC/FC Type Fiber Connectors with Round Crimp
	Tool & Die: 8039 Tool & Die: 1375 Die Set: 2685	Fiber Optic Universal LC/ST/FC/MT-RJ/SC	Fiber Optic	.151" (3.83mm) HEX/.178" (4.5mm) HEX/LC RND/ .190" (4.83mm) RND	SC/ST, Lucent/Krone LC, SMA, FC, MT-RJ
	Tool & Die: 8050 Tool & Die: 1390 Die Only: 2695	AMP SC 2.0/2.5/3.0 mm .110/.125/.140/.191 RND	Fiber Optic	AMP SC 2.0/2.5/3.0 mm .110/.125/.140/.191 RND	Connectors with round crimp AMP SC

Part Numbers	Type (s)	Connector Types (28-22 AWG/.08-.34mm²)	Crimp Sizes	Connector Manufacturers or Remarks
---------------------	-----------------	--	--------------------	---

Part Numbers	Type (s)	Connector Type(s)	Crimp Sizes	Connector Manufacturers or Remarks
Insulated Terminal Crimpers				
 Tool & Die: 8021 Tool & Die: 1305 Die Set: 2035	Insulated Terminals and Lugs	Solid or Stranded Wire, 22-10 AWG (.34-6 mm ²)	12-10 (Yellow)/16-14 (Blue)/22-18 (Red) (6-4/2.5-1.5/.34-.75 mm ²)	For Large Professional Terminals (Panduit, T & B, etc.)
 Tool & Die: 8022 Tool & Die: 1308 Die Set: 2040	Insulated Terminals and Lugs	Solid or Stranded Wire, 22-12 AWG (.34-4 mm ²)	12 (Yellow)/16-14 (Blue)/22-18 (Red) (4/1.5-2.5/.34-.75 mm ²)	For Standard Commercial Terminals (Hardware Store Brands)
 Tool & Die: 8023 Tool & Die: 1334 Die Set: 2029	Insulated Terminals and Lugs	Solid or Stranded Wire, 26-14 AWG (.10-2.5 mm ²)	16-14 (Blue)/22-18 (Red)/22-26 (Yellow) (1.5-2.5/.34-.75/.34-.10 mm ²)	For Smaller Wire Barrel Terminals
Non-Insulated Terminal Crimpers				
 Tool & Die: 8024 Tool & Die: 1322 Die Set: 2031	Non-Insulated Terminals and Lugs	Solid or Stranded Wire, 22-8 AWG (.34-10 mm ²)	10-8/14-12/18-16/22-120 (6-10/2.5-4/.75-1.5/3.4-50 mm ²)	For Standard Commercial Terminals
Open Barrel Contacts, Box Contacts, and Terminal Crimpers				
 Tool & Die: 8026 Tool & Die: 1306 Die Set: 2033	Open Barrel Non-Insulated Terminals, Narrow Lugs and Power Contacts	Solid or Stranded Wire, 22-10 AWG (.34-6 mm ²), F-Type*	22-18/16-14/12-10 (.34-.75/1.5-2.5/4-6 mm ²)	For Standard Commercial Terminals
 Tool & Die: 8027 Tool & Die: 1358 Die Set: 2096	Open Barrel Non-Insulated Terminals, Wide Lugs and Power Contacts	Solid or Stranded Wire, 22-14 AWG (.34-2.5 mm ²), F-Type*	16-14/22-18 (1.5-2.5/.34-.75 mm ²)	For Standard Commercial Terminals
 Tool & Die: 8029 Tool & Die: 1359 Die Set: 2097	Open Barrel D-Sub Contact Pins RS-232	Solid or Stranded Wire, 28-20 AWG (.08-.50 mm ²), F-Type*	28-24/22-20 (.08-.2/.34-.5 mm ²)	For Standard D-sub Pins Only; not for HD D-sub
* This is also known as "B-type"				
Wire Ferrule Crimpers				
 Tool & Die: 8025 Tool & Die: 1360 Die Set: 2095	Insulated & Non-Insulated Wire Ferrules	Solid or Stranded Wire, 22-10 AWG (.34-6 mm ²)	22-20/18-16/14-12/10 (.34-.50/.75-1.5/2.5-4/6 mm ²)	For DIN or US Type Wire Ferrules

Coaxial Crimpers

	Tool & Die: 8001 Tool & Die: 1317 Die Set: 2034	BNC/TNC, 3 Piece	RG58, RG59, RG62AU	0.256" (6.5mm)/0.213" (5.4mm)/ 0.068" (1.7mm) HEX	Common 2-piece and 3-piece BNC/TNC
	Tool & Die: 8002 Tool & Die: 1366 Die Set: 2648	HDTV SMA, True 75-ohm BNC/TNC, Mini-UHF	RG174, RG59/62, mini-coaxial 75-ohm	0.255" (6.5mm)/0.197" (5.0mm)/0.178" (4.5mm)/ 0.068" (1.7mm) HEX & 0.042" (1.0mm) SQ	Common 2-piece and 3-piece BNC/TNC (Kings, ADC, Amphenol, etc.)
	Tool & Die: 8003 Tool & Die: 1367 Die Set: 2649	HDTV BNC/TNC/CATV "F" True 75-ohm	RG59, RG6, Belden 8281, Belden 1694A	0.324" (8.2mm)/0.255" (6.5mm)/0.068" (1.7mm) HEX & 0.052" (1.3mm)/0.042" (1.0mm) SQ	Common 2-piece and 3-piece BNC/TNC (Kings, ADC, Amphenol, etc.)
	Tool & Die: 8004 Tool & Die: 1368 Die Set: 2657	HDTV BNC/TNC True 75-ohm	RG6, Belden 1694, Belden 1694A	0.278" (7.0mm)/0.275" (6.9mm)/ 0.068" (1.7mm) HEX & 0.042" (1.0mm) SQ	Common 3-piece BNC/TNC (Kings & ADC HDTV)
	Tool & Die: 8005 Tool & Die: 1363 Die Set: 2653	SMA, SMB, Mini-59 BNC/TNC, Mini-UHF	RG58, Mini-59, RG-174, small coaxial	0.128" (3.2mm)/0.213" (5.4mm)/0.197" (5.0mm)/ 0.178" (4.5mm)/0.068" (1.7mm) HEX & 0.042" (1.0mm) SQ	Common 2-piece and 3-piece SMA/SMB/BNC/TNC & Mini-UHF
	Tool & Die: 8006 Tool & Die: 1335 Die Set: 2046	Thinnet, BNC/TNC, Mini-UHF	RG58, RG174, AT & T 735, 50 and 75 ohm	0.213" (5.4mm)/0.178" (4.5mm)/ 0.068" (1.7mm) HEX & 0.042" (1.0mm) SQ	50/75 ohm small 2-piece and 3-piece BNC/TNC (Kings, ADC, etc.)
	Tool & Die: 8007 Tool & Die: 1336 Die Set: 2047	BNC/TNC, and Mini-UHF	RG59, RG62, Belden 8281, 50 and 75 ohm	0.315" (8.0mm)/0.252" (6.4mm)/ 0.068" (1.7mm) HEX & 0.042" (1.0mm) SQ	75 ohm 2-piece and 3-piece BNC/TNC (Kings, ADC, Amphenol, etc.)
	Tool & Die: 8008 Tool & Die: 1338 Die Set: 2051	BNC/TNC	RG174, RG179, and Small Cable Conn.	0.178" (4.5mm)/0.128" (3.2mm)/ 0.068" (1.7mm) HEX	Common 2-piece and 3-piece BNC/TNC/SMA/SMB
	Tool & Die: 8009 Tool & Die: 1347 Die Set: 2075	BNC/TNC	RG58, RG59, RG62AU, RG6 Teflon/Plenum	0.325" (8.25mm)/0.215" (5.46mm)/ 0.065" (1.65mm) HEX	2-piece and 3-piece BNC/TNC AIM/Cambridge
	Tool & Die: 8010 Tool & Die: 1348 Die Set: 2076	BNC/TNC	RG6, RG58	0.320" (8.13mm)/0.210" (5.33mm)/ 0.185" (4.7mm) HEX	2-piece BNC/TNC AIM/Cambridge, Kings, Amphenol
	Tool & Die: 8011 Tool & Die: 1349 Die Set: 2082	BNC/TNC	Belden 1694A, Belden 1695A	0.315" (8.0mm)/0.068" (1.7mm) HEX	Common 2-piece and 3-piece BNC/TNC
	Tool & Die: 8012 Tool & Die: 1356 Die Set: 2045	BNC and CATV "F" Type & HDTV	RG6 and RG6 Quad, Belden 1694A	0.360" (9.1mm)/0.324" (8.2mm)/ 0.068" (1.7mm) HEX	Common 2-piece and 3-piece BNC/TNC, and CATV "F" 2-piece
	Tool & Die: 8013 Tool & Die: 1328 Die Set: 2042	CATV "F" Type	RG59, RG6 Video Cable	0.346" (8.8mm)/0.319" (8.1mm)/ 0.256" (6.5mm) HEX	Crimps Ferrules or Sleeves Only
	Tool & Die: 8014 Tool & Die: 1365 Die Set: 2656	N-type	RG8, RG11, RG213	0.429" (10.9mm)/0.100" (2.54mm)/ 0.080" (2.03mm) HEX	Common 2-piece and 3-piece "N"-Type (Kings, ADC, Amphenol, etc.)
	Tool & Die: 8015 Tool & Die: 1319 Die Set: 2039	N-type, MS39012 Type	RG8, RG11, RG213, RG216	0.415" (10.5mm)/0.095" (2.4mm) HEX	Crimps Pins and Ferrules
	Tool & Die: 8016 Tool & Die: 1337 Die Set: 2050	BNC/TNC	RG8, RG213	0.402" (10.2mm)/0.094" (2.4mm)/ 0.079" (2.0mm) HEX	Common 2-piece and 3-piece BNC/TNC
	Tool & Die: 8049 Tool & Die: 1389 Die Set: 2699	HDTV BNC/TNC True 75-ohm	Belden 1855A, 1865A, 1505A, 1505F, 1694A, 1694F, 179DT	0.178" (4.5mm)/0.255" (6.5mm)/0.278" (7.0mm)/ 0.068" (1.7mm)/0.041" (1.0mm) HEX	Kings, ADC, B&L, Trompeter, Amphenol, Switchcraft

