



1912

KT 35 Cutter

Cutter for stranded and flexible copper and aluminum cable up to 500MCM (240mm²) or diameter of 1.40" (35mm).

- Now with comfortable, non-slip rubber embedded handles
- Both blades are sharpened
- Hole in moving blade to hang tool on a peg
- Replaceable moving blade
- Hardened, precision cutting blades for long life
- Built-in safety release in all cutting positions
- Locking mechanism for transport safety
- Cut 100-pair telephone cable one handed!
- Not for use on steel, aluminum alloys, or hard-drawn copper cables
- Lifetime warranty

Maximum cable cutting capacity

Copper	
Stranded & Flexible	500 MCM (240 mm ²)
Aluminum	
Stranded & Flexible	500 MCM (240 mm ²)
Telephone	
Data & Control	1.40" (35 mm) dia.

Technical	Weight	Length
KT 35	24 oz. (680 g)	10.4" (265 mm)

Ordering	Part Number
KT 35*	900256
Replacement moving blade	900258

*Do not use on live circuits.

Datacomm Scissors & Knife Kit

The cable-splicing kit in a leather pouch is designed for cutting cable, telephone wire and stripping insulation.

- Leather pouch slotted to fit 2" (51 mm) belts
- Datacomm scissors feature an ergonomic design for the professional user
- Utility knife has a full-size, no-slip textured handle
- Knife designed to stay sharp and fit comfortably in your hand
- One-year warranty

Technical	Weight/Dim
Kit	8 oz. (228 g)
Knife	3 oz. (85 g)
Scissors	2 oz. (57 g)
Pouch	2 oz. (57 g)
Dimensions (in)	8.2" L x 2.5" W x 1.25" D
Dimensions (mm)	208 mm L x 64 mm W x 32 mm D

Ordering	Part Number
Knife & scissors in leather pouch	1912
Knife in leather pouch	1911
Knife only	1905
Leather pouch only	1906
Datacomm scissors	1925

Blades designed so cable stays round



KT 8 & KT 12 Cutters

Precise and professional cutters for solid, stranded and flexible cables up to AWG 6 (16 mm²) (KT 8) and AWG 2 (35 mm²) (KT 12).

- Blades outlined for two conductor size ranges
- Precise and effortless cuts
- Hand-stops prevent slips
- No screw design to ensure precise attachment
- Textured handles
- Blades can be sharpened with a round file
- Not for use on steel, aluminum alloys or hard-drawn copper cables
- Perfect cutter for coax and UTP cables; doesn't deform cable
- Lifetime warranty

	KT 8*	KT 12*
Max. cable cutting capacity		
Copper		
Solid	AWG 6 (16 mm ²)	AWG 6 (16 mm ²)
Stranded	AWG 6 (16 mm ²)	AWG 4 (25 mm ²)
Flexible	AWG 6 (16 mm ²)	AWG 2 (35 mm ²)
Aluminum		
Stranded	AWG 6 (16 mm ²)	AWG 6 (16 mm ²)
Technical		
Weight	6.3 oz. (180 g)	10.5 oz. (300 g)
Length	6.5" (165 mm)	8.47" (215 mm)
Ordering/Part Number	900265	900266

*Do not use on live circuits.

Utility Cable Cutter

Utility cable cutter for solid, stranded and flexible cable up to AWG 2/0 (70 mm²).

- Optimal blade geometry for low cutting force
- Not for use on steel, aluminum alloys or hard-drawn copper cables
- One-year warranty

Maximum cable cutting capacity

Copper	
Solid	AWG 6 (16 mm ²)
Stranded	AWG 2 (35 mm ²)
Flexible	AWG 2/0 (70 mm ²)
Aluminum	
Stranded	AWG 2/0 (70 mm ²)

Technical

Weight	16oz. (453 g)
Length	9.4" (240 mm)

Ordering

	Part Number
Utility cable cutter*	1817.1

*Do not use on live circuits.