

# TWINAX/TRIAX CONNECTORS

## SUBMINIATURE JACKS & PLUGS

### 150/3150 SERIES TRS/TTM



## Sub-miniature Jacks & Plugs

Sub-miniature concentric twinax/triax connectors increase packing density up to 246%. They are designed for high density applications where digital, video pair or baseband noise-free guarded circuits are required. The 3-lug, 4-lug, and threaded versions improve mechanical stability and provide "error-free" redundant data bus capabilities. The wrench crimp version accommodates cables with other jacket diameters up to .215" and the tool crimp versions up to .250".

<p>PL155-29 Shown</p> <p><b>Cable Plug</b> Wrench Crimp</p> <p>3-lug 4-lug Threaded</p> <p><b>PL155-</b> <b>PL155FL-</b> <b>PL3155-</b></p>	<p>BJ159-29 Shown</p> <p><b>Bulkhead Jack</b> Rear mount, Wrench Crimp</p> <p>3-lug 4-lug Threaded</p> <p><b>BJ159-</b> <b>BJ159FL-</b> <b>BJ3159-</b></p> <p>Mounting Hole: D4.125</p>
<p>PL155AC-207 Shown</p> <p><b>Cable Plug</b> Tool Crimp</p> <p>3-lug 4-lug Threaded</p> <p><b>PL155AC-</b> <b>PL155ACFL-</b> <b>PL3155AC-</b></p>	<p>BJ159AC Shown</p> <p><b>Bulkhead Jack</b> Rear mount, Tool Crimp</p> <p>3-lug 4-lug Threaded</p> <p><b>BJ159AC-</b> <b>BJ159ACFL-</b> <b>BJ3159AC-</b></p> <p>Mounting Hole: D4.125</p>
<p>PLR3155AC-201 Shown</p> <p><b>Right Angle Cable Plug</b> Tool Crimp</p> <p>3-lug 4-lug Threaded</p> <p><b>PLR155AC-</b> <b>PLR155ACFL-</b> <b>PLR3155AC-</b></p>	<p>CJ150-29 Shown</p> <p><b>Cable Jack</b> Wrench Crimp</p> <p>3-lug 4-lug Threaded</p> <p><b>CJ150-</b> <b>CJ150FL-</b> <b>CJ3150-</b></p>
<p>PLR3155AC-201 Shown</p> <p><b>Cable Jack</b> Tool Crimp</p> <p>3-lug 4-lug Threaded</p> <p><b>CJ150AC-</b> <b>CJ150ACFL-</b> <b>CJ3150AC-</b></p>	<p>CJ150AC-207 Shown</p> <p><b>Cable Jack</b> Tool Crimp</p> <p>3-lug 4-lug Threaded</p> <p><b>CJ150AC-</b> <b>CJ150ACFL-</b> <b>CJ3150AC-</b></p>

△ Refers to Cable Group Table see pages 78-120. "D" mounting holes see page 60.